

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	"6301239".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/15 12:32
S2	2	"5961626".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/15 12:56
S3	24794973	(@ad<"20030701" or @rlad<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/15 12:58
S4	3	"20030070007"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/15 12:57
S5	0	"20030070007" and real\$time	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/15 12:57
S6	0	"20030070007" and (real\$time or real near time)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/15 12:58
S7	0	"20020086674" and (real\$time or real near time)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/15 12:58

## EAST Search History

S8	2	"20020086674"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/15 12:58
S9	283263	(@ad<"20030701" or @rlad<"20030701") and ((real near time) or real\$time)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/15 12:59
S10	1239	(@ad<"20030701" or @rlad<"20030701") and ((real near time) or real\$time) same analy\$5 near15 (packet\$1 or frame\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/15 12:59
S11	93	(@ad<"20030701" or @rlad<"20030701") and ((real near time) or real\$time) same analy\$5 near15 (packet\$1 or frame\$1) and tunnel\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/15 13:44
S12	5	(@ad<"20030701" or @rlad<"20030701") and ((real near time) or real\$time) same analy\$5 near15 (packet\$1 or frame\$1) and tunnel\$4.ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/15 13:00
S13	0	(@ad<"20030701" or @rlad<"20030701") and (((real near time) or real\$time) same analy\$5 near15 (packet\$1 or frame\$1) and tunnel\$4).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/15 13:00
S14	4	(@ad<"20030701" or @rlad<"20030701") and ((real near time) or real\$time) same analy\$5 near15 (packet\$1 or frame\$1).ab. and tunnel\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/15 13:01

## EAST Search History

S15	26	(@ad<"20030701" or @rlad<"20030701") and ((real near time) or real\$time) same analy\$5 near15 (packet\$1 or frame\$1) and (packet\$1 or frame\$1) near15 tunnel\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/15 13:03
S16	6	(@ad<"20030701" or @rlad<"20030701") and ((real near time) or real\$time)and analy\$5 near15 (packet\$1 or frame\$1) near15 tunnel\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/15 13:04
S17	361379	(@ad<"20030701" or @rlad<"20030701") and captur\$4 enar15 ((real near time) or real\$time)and analy\$5 near15 (packet\$1 or frame\$1) near15 tunnel\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/15 13:05
S18	0	(@ad<"20030701" or @rlad<"20030701") and captur\$4 near15 ((real near time) or real\$time)and analy\$5 near15 (packet\$1 or frame\$1) near15 tunnel\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/15 13:05
S19	0	(@ad<"20030701" or @rlad<"20030701") and captur\$4 near15 ((real near time) or real\$time)near15 (packet\$1 or frame\$1) near15 tunnel\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/15 13:05
S20	19	(@ad<"20030701" or @rlad<"20030701") and captur\$4 near15 (packet\$1 or frame\$1) near15 tunnel\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/15 13:06
S21	3	(@ad<"20030701" or @rlad<"20030701") and captur\$4 near15 (packet\$1 or frame\$1) near15 tunnel\$4 and (real\$time or real near time)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/15 13:06

## EAST Search History

S22	3	(@ad<"20030701" or @rlad<"20030701") and network near2 analyzer and (packet\$1 or frame\$1) near15 tunnel\$4 and (real\$time or real near time)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/15 13:07
S23	6	(@ad<"20030701" or @rlad<"20030701") and (network or protocol\$1) near2 analyzer and (packet\$1 or frame\$1) near15 tunnel\$4 and (real\$time or real near time)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/15 13:08
S24	0	(@ad<"20030701" or @rlad<"20030701") and (network or protocol\$1) near2 analyzer near15 tunnel\$4 and (real\$time or real near time)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/15 13:08
S25	9	(@ad<"20030701" or @rlad<"20030701") and analy\$5 near15 tunnel\$4 near15 (real\$time or real near time)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/15 13:09
S26	266	(@ad<"20030701" or @rlad<"20030701") and analy\$5 near15 tunnel\$4 and (real\$time or real near time)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/15 13:09
S27	11	(@ad<"20030701" or @rlad<"20030701") and analy\$5 near15 (frame\$1 or unit\$1 or packet\$1) near15 tunnel\$4 and (real\$time or real near time)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/15 13:15
S28	1	(@ad<"20030701" or @rlad<"20030701") and analy\$5 near15 (frame\$1 or unit\$1 or packet\$1) near15 tunnel\$4 and (real\$time or real near time) and (interpreter\$1 or EPI\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/15 13:11

## EAST Search History

S29	74	(@ad<"20030701" or @rlad<"20030701") and (network or protocol\$1) near3 analy\$5 and (frame\$1 or unit\$1 or packet\$1) near15 tunnel\$4 and (real\$time or real near time)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/15 13:17
S30	33	(@ad<"20030701" or @rlad<"20030701") and (network or protocol\$1) near3 analy\$5 and (frame\$1 or unit\$1 or packet\$1) near15 tunnel\$4 and (real\$time or real near time) and captur\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/15 13:17
S31	7	(@ad<"20030701" or @rlad<"20030701") and (network or protocol\$1) near3 analy\$5 and (frame\$1 or unit\$1 or packet\$1) near15 tunnel\$4 and (real\$time or real near time) near15 captur\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/15 13:24
S32	125	(@ad<"20030701" or @rlad<"20030701") and analy\$5 and (frame\$1 or unit\$1 or packet\$1) near15 tunnel\$4 and (real\$time or real near time) near15 captur\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/15 13:24
S33	98	(@ad<"20030701" or @rlad<"20030701") and analy\$5 same (frame\$1 or unit\$1 or packet\$1) near15 tunnel\$4 and (real\$time or real near time) near15 captur\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/15 13:27
S34	0	(@ad<"20030701" or @rlad<"20030701") and analy\$5 same (frame\$1 or unit\$1 or packet\$1) near15 tunnel\$4 and (real\$time or real near time) near15 captur\$4 and protocol near interpreter\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/15 13:25
S35	0	(@ad<"20030701" or @rlad<"20030701") and analy\$5 same (frame\$1 or unit\$1 or packet\$1) near15 tunnel\$4 and (real\$time or real near time) near15 captur\$4 and interpreter\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/15 13:25

## EAST Search History

S36	139	(@ad<"20030701" or @rlad<"20030701") and (frame\$1 or unit\$1 or packet\$1) near15 tunnel\$4 and (real\$time or real near time) near15 captur\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/15 13:27
S37	41	(@ad<"20030701" or @rlad<"20030701") and (frame\$1 or unit\$1 or packet\$1) near15 tunnel\$4 and (real\$time or real near time) near15 captur\$4 not S33	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/15 13:29
S38	293	(@ad<"20030701" or @rlad<"20030701") and (frame\$1 or unit\$1 or packet\$1) near15 tunnel\$4 and (real\$time or real near time) near15 (captur\$4 or receiv\$4 or recept\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/15 13:30
S39	14	(@ad<"20030701" or @rlad<"20030701") and (network or protocol\$1) near2 analy\$5 and (frame\$1 or unit\$1 or packet\$1) near15 tunnel\$4 and (real\$time or real near time) near15 (captur\$4 or receiv\$4 or recept\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/15 13:35
S40	1	(@ad<"20030701" or @rlad<"20030701") and (network or protocol\$1) near2 analy\$5 and (real\$time or real near time) near15 (captur\$4 or receiv\$4 or recept\$4) near15 tunnel\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/15 13:35
S41	249	(@ad<"20030701" or @rlad<"20030701") and tunnel\$4 and (real\$time or real near time) near15 (captur\$4 or receiv\$4 or recept\$4) near15 (frame\$1 or unit\$1 or packet\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/15 13:36
S42	155	(@ad<"20030701" or @rlad<"20030701") and tunnel\$4 and (real\$time or real near time) near15 (captur\$4 or receiv\$4 or recept\$4) near15 (frame\$1 or unit\$1 or packet\$1) and analy\$5 near15 (frame\$1 or unit\$1 or packet\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/15 13:37

## EAST Search History

S43	689	(@ad<"20030701" or @rlad<"20030701") and tunnel\$4 and (real\$time or real near time) near15 (captur\$4 or receiv\$4 or recept\$4) and analy\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/15 13:38
S44	107	(@ad<"20030701" or @rlad<"20030701") and tunnel\$4 and (real\$time or real near time) near15 (captur\$4 or receiv\$4 or recept\$4) near15 tunnel\$4 and analy\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/15 13:38
S45	105	(@ad<"20030701" or @rlad<"20030701") and tunnel\$4 and (real\$time or real near time) near15 (captur\$4 or receiv\$4 or recept\$4) near15 tunnel\$4 and analy\$5 near15 tunnel\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/15 13:39
S46	4254	(@ad<"20030701" or @rlad<"20030701") and (network or protocol\$1) near analyzer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/15 13:44
S47	7422	(@ad<"20030701" or @rlad<"20030701") and (network or protocol\$1) near analyz\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/15 13:44
S48	7	(@ad<"20030701" or @rlad<"20030701") and (network or protocol\$1) near analyz\$4 and analyz\$4 near15 tunnel\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/15 13:48
S49	247	(@ad<"20030701" or @rlad<"20030701") and (network or protocol\$1) near analyz\$4 and tunnel\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/15 13:49

## EAST Search History

S50	24	(@ad<"20030701" or @rlad<"20030701") and (network or protocol\$1) near analyz\$4 same tunnel\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/15 13:52
S51	58	(@ad<"20030701" or @rlad<"20030701") and monitor\$4 near15 (packet\$1 or frame\$1) near15 tunnel\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/15 13:53
S52	2971925	(@ad<"20030701" or @rlad<"20030701") and monitor\$4 near15 (packet\$1 or frame\$1) near15 tunnel\$4 and analy\$5 nea15 (packet\$1 or frame\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/15 13:54
S53	2971925	(@ad<"20030701" or @rlad<"20030701") and monitor\$4 near15 (packet\$1 or frame\$1) near15 tunnel\$4 and analy\$5 nea15 (packet\$1 or frame\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/15 13:54
S54	2971925	(@ad<"20030701" or @rlad<"20030701") and monitor\$4 near15 (packet\$1 or frame\$1) near15 tunnel\$4 and analy\$5 nea15 (packet\$1 or frame\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/15 13:54
S55	58	(@ad<"20030701" or @rlad<"20030701") and monitor\$4 near15 (packet\$1 or frame\$1) near15 tunnel\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/15 13:56
S56	19	(@ad<"20030701" or @rlad<"20030701") and monitor\$4 near15 (packet\$1 or frame\$1) near15 tunnel\$4 and analy\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/15 13:57



## EAST Search History

S57	8	(@ad<"20030701" or @rlad<"20030701") and monitor\$4 near15 (packet\$1 or frame\$1) near15 tunnel\$4 and analy\$5 near15 (packet\$1 or frame\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/15 13:56
S58	0	(@ad<"20030701" or @rlad<"20030701") and monitor\$4 near15 (packet\$1 or frame\$1) near15 tunnel\$4 and analy\$5 near15 (packet\$1 or frame\$1) and (real\$time or (real near time))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/15 13:55
S59	0	(@ad<"20030701" or @rlad<"20030701") and monitor\$4 near15 (packet\$1 or frame\$1) near15 tunnel\$4 and analy\$5 near15 (packet\$1 or frame\$1) and (sniff\$4 or tap\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/15 13:56
S60	5	(@ad<"20030701" or @rlad<"20030701") and monitor\$4 near15 (packet\$1 or frame\$1) near15 tunnel\$4 and analy\$5 and (sniff\$4 or tap\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/15 14:52
S61	239	(@ad<"20030701" or @rlad<"20030701") and receiv\$4 near15 (packet\$1 or frame\$1) near15 tunnel\$4 and analy\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/15 14:54
S62	0	(@ad<"20030701" or @rlad<"20030701") and analyzer near15 receiv\$4 near15 (packet\$1 or frame\$1) near15 tunnel\$4 and analy\$5 and (real\$time or (real near time))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/15 14:55
S63	0	(@ad<"20030701" or @rlad<"20030701") and analyzer near15 (packet\$1 or frame\$1) near15 tunnel\$4 and analy\$5 and (real\$time or (real near time))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/15 14:55

## EAST Search History

S64	940	(@ad<"20030701" or @rlad<"20030701") and analyzer near15 ((packet\$1 or frame\$1) or tunnel\$4) and analy\$5 and (real\$time or (real near time)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/15 14:56
S65	59	(@ad<"20030701" or @rlad<"20030701") and analyzer near15 ((packet\$1 or frame\$1) or tunnel\$4) and analy\$5 and (real\$time or (real near time)) near5 captur\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/15 15:32
S66	1	(@ad<"20030701" or @rlad<"20030701") and analyzer near15 ((packet\$1 or frame\$1)) and tunnel\$4 and analy\$5 and (real\$time or (real near time)) near5 captur\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/15 15:23
S67	1	(@ad<"20030701" or @rlad<"20030701") and analyzer near15 ((packet\$1 or frame\$1 or unit\$1)) and tunnel\$4 and analy\$5 and (real\$time or (real near time)) near5 captur\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/15 15:23
S68	0	(@ad<"20030701" or @rlad<"20030701") and analyzer near15 tunnel\$4 and analy\$5 and (real\$time or (real near time)) near5 captur\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/15 15:23
S69	286	(@ad<"20030701" or @rlad<"20030701") and analyzer near15 ((packet\$1 or frame\$1 or unit\$1)) and tunnel\$4 and analy\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/15 15:24
S70	10	(@ad<"20030701" or @rlad<"20030701") and analyzer near15 ((packet\$1 or frame\$1 or unit\$1)) near10 tunnel\$4 and analy\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/15 15:25

## EAST Search History

S71	40	(@ad<"20030701" or @rlad<"20030701") and analyzer near15 ((packet\$1 or frame\$1 or unit\$1)) and ((packet\$1 or frame\$1 or unit\$1)) near10 tunnel\$4 and analy\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/15 15:26
S72	40	(@ad<"20030701" or @rlad<"20030701") and analyzer near15 ((packet\$1 or frame\$1 or unit\$1)) and ((packet\$1 or frame\$1 or unit\$1)) near10 tunnel\$4 and analy\$5 and tunnel\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/15 15:27
S73	1	(@ad<"20030701" or @rlad<"20030701") and analyzer near15 ((packet\$1 or frame\$1) or tunnel\$4) and analy\$5 and (real\$time or (real near time)) near5 captur\$4 and tunnel\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/15 15:34
S74	4	(@ad<"20030701" or @rlad<"20030701") and analyzer and analy\$5 and (real\$time or (real near time)) near5 captur\$4 and tunnel\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/15 15:34
S75	208	(@ad<"20030701" or @rlad<"20030701") and analyzer near15 ((packet\$1 or frame\$1) or tunnel\$4) and analy\$5 and tunnel\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/15 15:34
S76	10	(@ad<"20030701" or @rlad<"20030701") and analyzer near15 (packet\$1 or frame\$1 or unit\$1) near15 tunnel\$4 and analy\$5 and tunnel\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/15 15:35
S77	286	(@ad<"20030701" or @rlad<"20030701") and analyzer near15 (packet\$1 or frame\$1 or unit\$1) and analy\$5 and tunnel\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/15 15:40

## EAST Search History

S78	7	(@ad<"20030701" or @rlad<"20030701") and network near2 analyzer near15 (packet\$1 or frame\$1 or unit\$1) and analy\$5 and tunnel\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/15 15:37
S79	1	(@ad<"20030701" or @rlad<"20030701") and protocol near2 analyzer near15 (packet\$1 or frame\$1 or unit\$1) and analy\$5 and tunnel\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/15 15:38
S80	34	(@ad<"20030701" or @rlad<"20030701") and analyzer near15 (packet\$1 or frame\$1 or unit\$1).ab. and analy\$5 and tunnel\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/15 15:43
S81	3	(@ad<"20030701" or @rlad<"20030701") and analyzer near15 (packet\$1 or frame\$1 or unit\$1) and ip near tunnel\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/15 15:44
S82	286	(@ad<"20030701" or @rlad<"20030701") and analyzer near15 (packet\$1 or frame\$1 or unit\$1) and tunnel\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/15 15:45
S83	0	(@ad<"20030701" or @rlad<"20030701") and analyzer near15 (packet\$1 or frame\$1 or unit\$1) and internet near2 tunnel\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/15 15:45
S84	0	(@ad<"20030701" or @rlad<"20030701") and analyz near15 (packet\$1 or frame\$1 or unit\$1) and internet near2 tunnel\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/15 15:45

## EAST Search History

S85	16	(@ad<"20030701" or @rlad<"20030701") and analyz\$4 near15 (packet\$1 or frame\$1 or unit\$1) and internet near2 tunnel\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/15 15:45
S86	441	(@ad<"20030701" or @rlad<"20030701") and (protocol or network) adj analyzer.ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/15 15:51
S87	1	(@ad<"20030701" or @rlad<"20030701") and (protocol or network) adj analyzer.ti. and tunnel\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/15 15:50
S88	1	(@ad<"20030701" or @rlad<"20030701") and (protocol or network) adj analyzer.ti. and tunnel\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/15 15:51
S89	13	(@ad<"20030701" or @rlad<"20030701") and (protocol or network) adj analyzer.ab. and tunnel\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/15 15:52
S90	13	(@ad<"20030701" or @rlad<"20030701") and (protocol or network) near analyzer.ab. and tunnel\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/15 15:52
S91	118	(@ad<"20030701" or @rlad<"20030701") and (protocol or network) near analyzer and tunnel\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/15 15:52

## EAST Search History

S92	118	(@ad<"20030701" or @rlad<"20030701") and (protocol or network) near analyzer and analy\$5 and tunnel\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/15 15:52
S93	20	(@ad<"20030701" or @rlad<"20030701") and (protocol or network) near analyzer and analy\$5 same tunnel\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/15 15:53
S94	20	(@ad<"20030701" or @rlad<"20030701") and (protocol or network) near analyzer and analy\$5 near15 (packet\$1 or frame\$1 or unit\$1) and tunnel\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/15 15:54
S95	1288	(@ad<"20030701" or @rlad<"20030701") and (receiv\$4 or monitor\$4 or captur\$4 or analy\$5) near15 (packet\$1 or frame\$1) near15 tunnel\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/15 16:00
S96	1725	(@ad<"20030701" or @rlad<"20030701") and (receiv\$4 or monitor\$4 or captur\$4 or analy\$5 or unit\$1) near15 (packet\$1 or frame\$1) near15 tunnel\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/15 16:00
S97	307	(@ad<"20030701" or @rlad<"20030701") and (receiv\$4 or monitor\$4 or captur\$4 or analy\$5) near15 (packet\$1 or frame\$1 or unit\$1) near15 tunnel\$4 and analy\$4 near15 (packet\$1 or frame\$1 or unit\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/15 16:01
S98	30	(@ad<"20030701" or @rlad<"20030701") and (receiv\$4 or monitor\$4 or captur\$4 or analy\$5) near15 (packet\$1 or frame\$1 or unit\$1) near15 tunnel\$4. ab. and analy\$4 near15 (packet\$1 or frame\$1 or unit\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/15 16:03

## EAST Search History

S99	0	(@ad<"20030701" or @rlad<"20030701") and (captur\$4) near15 (packet\$1 or frame\$1 or unit\$1) near15 tunnel\$4.ab. and analy\$4 near15 (packet\$1 or frame\$1 or unit\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/15 16:04
S10 0	1	(@ad<"20030701" or @rlad<"20030701") and (captur\$4) near15 (packet\$1 or frame\$1 or unit\$1) near15 tunnel\$4 and analy\$4 near15 (packet\$1 or frame\$1 or unit\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/15 16:04